

NO. 61897

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office FEB 12 1996  
Returned to applicant for correction APR 08 1996  
Corrected application filed \_\_\_\_\_  
Map filed FEB 12 1996 under 61895

\*\*\*\*\*

The applicant Barbara L. Flanagan, Trustee of the Barbara L. Flanagan Living Trust Dated March 19, 1991, hereby makes application for permission to change the Point of Diversion and Place of Use of a portion of water heretofore appropriated under Application 55256

\*\*\*\*\*

1. The source of water is Underground
2. The amount of water to be changed 0.04 c.f.s., 4.0 acre-feet seasonally
3. The water to be used for Irrigation
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point NW $\frac{1}{4}$  SE $\frac{1}{4}$  Section 35, T.13N., R.20E., MDB&M, or at a point from which the S $\frac{1}{4}$  corner of said Section 35 bears South 19° 21' West, 1735 feet
6. The existing permitted point of diversion is located within NE $\frac{1}{4}$  SW $\frac{1}{4}$  Section 10, T.12N., R.21E., MDB&M, or at a point from which the W $\frac{1}{4}$  corner of said Section 10 bears North 67°45'29" West, 2409.62 feet.
7. Proposed place of use within the W $\frac{1}{2}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$  and SE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$  Section 35, T.13N., R.20E., MDB&M
8. Existing place of use 9.0 ac. within the E $\frac{1}{2}$ NE $\frac{1}{4}$  Section 9, N $\frac{1}{2}$ SW $\frac{1}{4}$  and SW $\frac{1}{4}$ NW $\frac{1}{4}$  Section 10, T.12N., R.21E., MDB&M 1.0 ac. total to be removed from irrigation under this application.
9. Use will be from April 1st to October 15th of each year.
10. Use was permitted from April 1st to October 15th of each year.
11. Description of proposed works drilled well, pump and motor, and irrigation distribution system
12. Estimated cost of works \$25,000
13. Estimated time required to construct works well complete
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: Please use map on file at the Division of Water Resources under Application 55256 to support the existing point of diversion and place of use. The water under this application is to be commingled with the water under the applications to change Permits 56288 and 56290 being filed concurrently, for a total of 11.0 irrigated acres within the proposed place of use and a total combined duty of 44.0 acre-feet annually.

By s/ Bruce R. Scott  
Bruce R. Scott, Resource Concepts, Inc.  
340 North Minnesota Street  
Carson City, Nevada 89703

Compared cl/jk cl/cms

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL      OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 55256 is issued subject to the terms and conditions imposed in said Permit 55256 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 61895, 61896 and 61897 shall not exceed 40.0 acre-feet annually.

Permits 61895, 61896 and 61897 will be limited to the irrigation of 10.0 acres within the described place of use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.04 cubic feet per second, but not to exceed 4.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 24, 1998

Proof of completion of work shall be filed before:

July 24, 1998

Application of water to beneficial use shall be filed on or before:

June 24, 1999

Proof of the application of water to beneficial use shall be filed on or before:

July 24, 1999


Map in support of proof of beneficial use shall be filed on or before:

July 24, 1999

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of June, A.D. 1997

  
State Engineer

Completion of work filed JUN 24 1998

Proof of beneficial use filed AUG 09 2001

Cultural map filed AUG 09 2001

Certificate No. 15893 Issued OCT 31 2001